

Hempcrete Research Resources (Chronological)

Gibson L, Ashby M. (1988) Cellular solids: structures and properties. Oxford: Pergamon Press.

Moranville-Regourd M. (1988) Cements made from blast furnace slag. Lea's chemistry of cement and concrete. London: Elsevier Ltd.

Reid SR, Peng C. (1997) Dynamic uniaxial crushing of wood. *Int J Impact Eng*;19(5-6):531-70.

Waldum A. (1999) Durability of lime-based mortars in a severe climate - results from field and artificial ageing tests. In: 12th international RILEM workshop on historic mortars: characteristics and tests, Scotland.

Rodriguez-Navarro C, Doehne E. (1999) Salt weathering: influence of evaporation rate, supersaturation and crystallization patten. *Earth Surf Processes Landform*; 24:191-204.

Charola AE. (2000) Salts in the deterioration of porous materials: an overview. *J Am Inst Conserv*;39(3):327-43.

(2000) "Industrial hemp in the United States: Status and market potential," United States Department of Agriculture Report.

Sabir BB, Wild S, Bai J. (2001) Metakaolin and calcined clays as pozzolans for concrete: a review. *Cement Concr Compos*;23(6):441-54.

Chagneaud B, Coquillat A. (2002) Utilisation de matériaux renouvelables - Etude de quatre bétons de chanvre. France: Centre Expérimental de Recherches et d'Études du Bâtiment et des Travaux Publics.

Bütschi PY. (2003) Utilisation du chanvre pour la préfabrication d'éléments de construction. PhD thesis, Université de Moncton, Canada.

Evrard A. (2003) Bétons de chanvre – synthèse des propriétés physiques Saint Valérien. *Construire en Chanvre*.

Pervaiz, Muhammad, et al. (2003) "Carbon storage potential in natural fiber composites," *Resources Conservation and Recycling* 39 (4):325-340.

Benavente D, Garci MA, Garci J, Sánchez-Morald S, Ordóñez S. (2004) Role of pore structure in salt crystallisation in unsaturated porous stone. *J Cryst Growth*;260(3-4):532-44.

Prusinski JR, Marceau ML., VanGeem MG. (2004) Life cycle inventory of slag cement concrete. In: The 8th CANMET/ACI international conference on fly ash,

silica fume, slag and natural pozzolans in concrete host committee supplementary papers. American Concrete Institute.

Thomson M, Lindqvist JE, Elson J, Groot CJWP. (2004) Porosity of mortars. characterisation of old mortars with respect to their repair. France: RILEM.

Boutin M-P, Flamin C, Quinton S, Gosse G, Inra L. (2005) Étude des caractéristiques environnementales du chanvre par l'analyse de son cycle de vie [Study of environmental characteristics of hemp by means of an analysis of its lifecycle]. Ministère de l'Agriculture et de la Pêche [Ministry of Agriculture and Fishery].

Cerezo V. (2005) Propriétés mécaniques, thermiques et acoustiques d'un matériau à base de particules végétales: approche expérimentale et modélisation théorique Saint Valérien. L'Institut National des Sciences Appliquées de Lyon.

Evrard, Arnaud and De Herde, André. (2005) Bioclimatic envelopes made of lime and hemp concrete." CISBAT 2005 Renewables in a Changing Climate: Innovation in Building Envelopes and Environmental Systems (EPFL, Lausanne, Switzerland, 09/28/2005 to 09/29/2005).

Bouloc P, Allegret S, Arnaud L. Le chanvre industriel: production et utilisations. France: France Agricole; 2006.

Eires R, Nunes JP, Fanguero R, Jalali S, Camões A. (2006) New eco-friendly hybrid composite materials for civil construction. In: Proceedings of the European conference on composite materials, Biarritz, France.

Evrard, A., et al. (2006) "Dynamical interactions between heat and mass flows in lime-hemp concrete," Research in Building Physics and Building Engineering, Fazio, Ge, Rao and Desmarais, eds., Taylor & Francis Group, London.

Lubelli B, van Hees RPJ, Huinink HP, Groot CJWP. (2006) Irreversible dilation of NaCl contaminated lime-cement mortar due to crystallization cycles. Cem Concr Res;36(4):678-87.

Arandigoyen M, Alvarez JI. (2007) Pore structure and mechanical properties of cement-lime mortars. Cem Concr Res;37(5):767-75.

Nässén J, Holmberg J, Wadeskog A, Nyman M. (2007) Direct and indirect energy use and carbon emissions in the production phase of buildings: an input-output analysis. Energy;32(9):1593-602.

Ronchetti, Paolo. (2007) "The barriers to the mainstreaming of lime-hemp: A systemic approach," Graduate thesis, Dublin Institute of Technology.

de Bruijn P. (2008) Hemp concretes - mechanical properties using both shives and fibres. Licentiate Thesis. Sweden: Swedish University of Agricultural Sciences.

de Bruijn, Paulien. (2008) "Hemp Concretes: Mechanical properties using both shives and fibres," Graduate thesis, Swedish University of Agricultural Sciences, Alnarp.

Chew, Priscilla, et al. (2008) "Compressive strength testing of hemp masonry mixtures," graduate research project, Queen's University, Kingston.

Elfordy S, Lucas F, Tancret F, Scudeller Y, Goudet L. (2008) Mechanical and thermal properties of lime and hemp concrete ("hemcrete") manufactured by a projection process. *Constr Build Mater*; 22:2116–23.

Hanley R, Pavía S. (2008) Tom <tom@energiaus.com>A study of the workability of natural hydraulic lime mortars and its influence on strength. *Mater Struct*;41(7):373–81.

de Bruijn PB, Jeppssona KH, Sandin K, Nilssona C. (2009) Mechanical properties of lime–hemp concrete containing shives and fibres. *Biosyst Eng*;103(4): 474–9.

Busbridge, Ruth. (2009) "Hemp-clay: An initial investigation into the thermal, structural and environmental credentials of monolithic clay and hemp walls," graduate research project at the Centre for Alternative Technology, Wales.

Cizer O, Van Balen K, Van Gemert D, Elsen J. (2009) Competition between carbonation and hydration on the hardening of calcium hydroxide and calcium silicate binders [extract from PhD thesis]. Katholieke Universiteit Leuven, Belgium.

Daly, Patrick, et al. (2009) "Hemp lime bio-composite as a building material in Irish construction," Environmental Protection Agency STRIVE Report 2009-E T-DS-2-S2.

Donchev I, Nivov J, Doykov I, Petrova N, Dimova L. (2010) On the formation of cement phases in the course of the interaction of kaolinite with portlandite. *J Univ Chem Technol Metall*; 45(4):391–6.

Walker R, Pavia (2010) S. Behaviour and properties of lime–pozzolan pastes. In: *Proceedings of the 8th international masonry conference*. Dresden, Germany: 353–362.

Walker R, Pavia S. (2010) Physical properties of pozzolans for lime and cement composites. In: *Proceedings of the BCRI bridge infrastructure concrete research Ireland*, Univ. of Cork, Ireland, 457–68.

Murphy F, Pavía S, Walker R. (2010) An assessment of some physical properties of hemp-lime concrete. In: *Proceedings of the BCRI bridge infrastructure concrete research Ireland*, Univ. of Cork, Ireland. p. 431–38.

Daxner T. (2010) Finite element modelling of foams. Udine, Italy: CISM International Centre for Mechanical Sciences.

Hirst E, Walker P, Paine K, Yates T. (2010) Characterisation of low density hemp-lime composite building materials under compression loading. In: The 2nd international conference on sustainable construction materials and technologies, Italy.

Gourlay E, Arnaud L. (2010) Comportement hygrothermique des murs de béton de chanvre. In: Proceedings of the Actes du congrès SFT, France, Le Touquet.

Lubelli B, Nijland TG, van Hees RPJ, Hacquebord A. (2010) Effect of mixed in crystallization inhibitor on resistance of lime-cement mortar against NaCl crystallization. *Constr Build Mater*;24(12):2466-72.

Nguyen T. (2010) Contribution à l'étude de la formulation et du procédé de fabrication d'éléments de construction en béton de chanvre, PhD thesis. Université de Bretagne Sud, France.

Botas S, Rato VM, Faria P. (2010) Testing the freeze/thaw cycles in lime mortar. In: Proceedings of the second historic mortar conference. Prague, Czech Republic; p. 417-25.

Daly P, Ronchetti P, Woolley T. (2010) Hemp lime bio-composite as a construction material. Ireland: Environmental Protection Agency.

Miskin, Naomi. (2010) "The carbon sequestration potential of hemp-binder: A study of embodied carbon in hemp-binder compared with dry lining solutions for insulating solid walls," Master's thesis, Centre for Alternative Technology, Wales.

Sinka M., et al. (2010) "Sustainable thermal insulation biocomposites from locally available hemp and lime." *Environment, Technology, Resources*.

Glouannec P, Collet F, Lanos P, Mounanga C, Pierre T, Poullain P. (2011) Propriétés physiques de bétons de chanvre. *Mater Tech*; 99:657-65.

Kidalova, Lucia, et al. (2011) "MgO cement as suitable conventional binders replacement in hemp concrete," *Pollack Periodica* November, 2011.

Maalouf, C., et al. (2011) "Numerical investigation of heat and mass transfer in flax and hemp concrete walls," Proceedings of Building Simulation 2011: 12th Conference of International Building Performance Simulation Association, Sydney.

Pinkos, Jeremy J. and Dick, Kris J. (2011) "Load and moisture behaviour of Manitoba hemp for use in hempcrete wall systems in a northern prairie climate," The Canadian Society for BioEngineering, Paper No. CSBE11-24.

Arnaud, Laurent, et al. (2012) "Experimental study of parameters influencing mechanical properties of hemp concretes," *Construction and Building Materials* 28, 50–56.

de Bruijn, Paulien. (2012) "Material properties and full-scale rain exposure of lime-hemp concrete walls: Measurements and simulations," Doctoral thesis, Swedish University of Agriculture, Alnarp.

Collet, Florence, et al. (2012) "Experimental investigation of moisture buffering capacity of sprayed hemp concrete," *Construction and Building Materials* 36, 58–65.

Costigan A, Pavia S. (2012) Influence of the mechanical properties of lime mortar on the strength of brick masonry. *Historic mortars: characterisation, assessment and repair*. RILEM book series, vol. 7. p. 349–59.

Mukherjee, Agnita. (2012) "Structural benefits of hempcrete infill in timber stud walls," Master's thesis, Department of Civil Engineering, Queen's University, Kingston. Tran Le, A.D., et al. "Transient hygrothermal behaviour of a hemp concrete building envelope," *Energy and Buildings*, 42 (10) October 2010, 1797–1806.

Lawrence, M., et al. (2012) "Hygrothermal performance of an experimental hemp-lime building," *Key Engineering Materials* 517, 413–421.

Walker R, Pavia S. (2012) Impact of water retainers in the strength, drying and setting of lime hemp concrete. In: *Proceedings of the BCRI bridge infrastructure concrete research ireland*, Trinity College and DIT, Dublin, Ireland. p. 355–60.

de Bruijn, Paulien, et al. (2013) "Moisture fixation and thermal properties of lime-hemp concrete," *Construction and Building Materials*, 47, October 2013, 1235–1242.

Colinart, Thibaut, et al. (2013) "Experimental study on the hygrothermal behavior of a coated sprayed hemp concrete wall," *Buildings* 3, 79–99.

Colinart, Thibaut, et al. (2013) "Hygrothermal behaviour of a hemp concrete wall: Comparison between experimental and numerical results," *Proceedings of BS2013: 13th Conference of International Building Performance Simulation Association*, Chambéry, France.

Collet, Florence, et al. (2013) "Comparison of the hygric behaviour of three hemp concretes," *Energy and Buildings* 62, July 2013, 294–303.

Duffy, E., et al. (2013) "Hemp-lime: Highlighting room for improvement," *Civil and Environmental Research* 4, 2013.

Gandolfi et al. (2013) "Complete chemical analysis of Carmagnola hemp hurds and structural features of its components," *BioResources* 8 (2):2641–2656.

Lawrence, M., et al. (2013) "Hygrothermal performance of bio-based insulation materials," *Proceedings of the Institution of Civil Engineers: Construction Materials* 166 (4):257–263.

Stevulova, Nadezda, et al. (2013) "Lightweight composites containing hemp hurds," *Procedia Engineering* 65, 69–74.

Pinkos, Jeremy. (2014) "The effectiveness of hempcrete as an infill insulation in the prairies compared to a standard building based on power consumption," Graduate thesis, Department of Biosystems Engineering, University of Manitoba, Winnipeg.

Walker R, Pavia S. (2014) Hydration of lime hemp concretes made with commercial binder. Ireland: Civil Engineering Research in Ireland. Queen's University Belfast.

Walker, R., Pavia S., Mitchell, R. (2014) Mechanical properties and durability of hemp-lime concretes. Dept. of Civil Engineering, Trinity College, Dublin, Ireland & School of Engineering and Applied Biology, Harvard University USA. *Construction and Building Materials* Volume 61, 30 June 2014, Pages 340-348.

Walker R, Pavia S. (2014) Effect of Hemp's soluble components on the physical properties of hemp concrete. *J Mater Sci Res* 2014;3(2) [in press].

Latif, E., et al. (2015) "Moisture buffer potential of experimental wall assemblies incorporating formulated hemp-lime," *Building and Environment*, 93 (2):199–209.

Dhokal, Ujwal. (2016) "The effect of different mix proportions on the hygrothermal performance of hempcrete in the Canadian context," graduate research project at Ryerson University, Toronto.